




DIMENSIONS

Measured in inches

- A. 11.16 (Angled 43.16, Flush 11.16)
- B. 14.68 (Angled 46.68, Flush 14.68)
- C. 6.75
- D. 9.7



52611 | Matte White Body with Matte White Blades

ADDITIONAL FINISHES



52589  
Matte Black Body with Matte Black Blades



52612  
Matte Silver Body with Matte Silver blades



50059  
Matte Bronze Body with Matte Bronze Blades

FAN SPECIFICATIONS

Motor Type	Reversible	Wire Length	Control Type	Downrod	Location	Blade #	Add'l Sizes
AC	YES	32" (24" Downrod)	Wall Control	4 Included	Outdoor	5	N/A

AIRFLOW AND LIGHT SPECIFICATIONS

AVG Airflow	Airflow Efficiency	CFM High	Voltage	Bulbs Included	Output Per Bulb	Watts Per Bulb	Bulb Type	Base Type	LED Light Kit	CRI	CCT (Kelvins)	Dimmable
3438	77	5147	120v/60Hz	1	1520	18W	LED	LED	Yes	90	3,000	YES



Coastal/Wet Rated



Higher Air Velocity



Durable Lens



WhisperWind® AC Motor



Wall Control



99779 Accessory Wire Kit



Intertek



# ENGINEERED FOR THE ELEMENTS<sup>®</sup>



**5** YEAR  
FINISH  
WARRANTY


MADE TO WEATHER IT ALL.



Coastal Rated.  
Tough against salt air corrosion.



Wet Rated.  
Works in the rain.



Maintains Shape.  
Won't droop in heat.



# FASTER COOLING POWER<sup>®</sup>



**33%**  
**MORE AIR  
VELOCITY**  
THAN LEADING COMPETITORS\*

**FEEL COOLER, INSTANTLY.**



**Precision Blades.**  
Aerodynamic design,  
uniflow airflow.



**Light Powerful Motor.**  
Whisper-quiet,  
energy efficient.



**Faster Air. Cooler You.**  
Powerful airflow with  
instant AHHHHH...

\*Based on testing conducted January 2023 comparing the average high-speed airflow velocity of Hunter SureSpeed ceiling fans and the best-selling online models for leading competitors.