




DIMENSIONS

Measured in inches

- A. 14.09 (Angled 46.09, Flush 12.09)
- B. 15.12 (Angled 47.12, Flush 13.12)
- C. 6.49
- D. 9.42



59472 | Matte Silver Body with Matte Silver blades

ADDITIONAL FINISHES



59470
Fresh White with Fresh White blades



59471
Matte Black Body with Matte Black blades

FAN SPECIFICATIONS

Motor Type	Reversible	Wire Length	Control Type	Downrod	Location	Blade #	Add'l Sizes
AC	YES	32" (24" Downrod)	Wall Control	4 Included	Outdoor	3	N/A

AIRFLOW AND LIGHT SPECIFICATIONS

AVG Airflow	Airflow Efficiency	CFM High	Voltage	Bulbs Included	Output Per Bulb	Watts Per Bulb	Bulb Type	Base Type	LED Light Kit	CRI	CCT (Kelvins)	Dimmable
3944	77	5928	120v/60Hz	1	1600	18W	LED	LED	Yes	80	3,000	YES



Coastal/Wet Rated



Higher Air Velocity



WhisperWind® AC Motor



Wall Control



99779 Accessory Wire Kit



Intertek



ENGINEERED FOR THE ELEMENTS[®]



5 YEAR
FINISH
WARRANTY


MADE TO WEATHER IT ALL.



Coastal Rated.
Tough against salt air corrosion.



Wet Rated.
Works in the rain.



Maintains Shape.
Won't droop in heat.



FASTER COOLING POWER[®]



33%
MORE AIR
VELOCITY
THAN LEADING COMPETITORS*

FEEL COOLER, INSTANTLY.



Precision Blades.
Aerodynamic design,
uniflow airflow.



Light Powerful Motor.
Whisper-quiet,
energy efficient.



Faster Air. Cooler You.
Powerful airflow with
instant AHHHHH...

*Based on testing conducted January 2023 comparing the average high-speed airflow velocity of Hunter SureSpeed ceiling fans and the best-selling online models for leading competitors.